

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adelphia-----	50	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Holmdel-----	30	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.46	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.01
AdB: Adelphia-----	40	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.09
Holmdel-----	40	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.46	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.09
AdC: Adelphia-----	40	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.68 0.01	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00
Holmdel-----	40	Very limited Depth to saturated zone Filtering capacity Restricted permeability Slope	1.00 1.00 0.46 0.01	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AeB: Adelphia-----	30	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.09
Holmdel-----	30	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.46	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.09
Urban Land-----	30	Not rated		Not rated	
AfB: Alloway-----	40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.33
Sassafras-----	30	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.09
AfC: Alloway-----	40	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.01	Very limited Depth to saturated zone Slope	1.00 1.00
Sassafras-----	30	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.01	Very limited Slope Seepage	1.00 1.00
AnB: Alloway-----	30	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.09

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Sassafras-----	30	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.09
Urban Land-----	30	Not rated		Not rated	
AnD: Alloway-----	30	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.16	Very limited Depth to saturated zone Slope	1.00 1.00
Sassafras-----	30	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.16	Very limited Slope Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	
AoA: Annapolis-----	70	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage	1.00
AoB: Annapolis-----	80	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 0.09
AoC: Annapolis-----	75	Very limited Filtering capacity Restricted permeability Slope	1.00 0.50 0.01	Very limited Seepage Slope	1.00 1.00
AsA: Annapolis-----	80	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AsB: Annapolis-----	80	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 0.09
AsC: Annapolis-----	80	Very limited Filtering capacity Restricted permeability Slope	1.00 0.50 0.01	Very limited Seepage Slope	1.00 1.00
AsE: Annapolis-----	60	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Slope Seepage	1.00 1.00
AsF: Annapolis-----	60	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Slope Seepage	1.00 1.00
AsG: Annapolis-----	60	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Slope Seepage	1.00 1.00
AuB: Annapolis-----	50	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 0.09
Urban Land-----	40	Not rated		Not rated	
AuD: Annapolis-----	50	Very limited Filtering capacity Restricted permeability Slope	1.00 0.50 0.16	Very limited Seepage Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	35	Not rated		Not rated	
CaB: Chillum-----	60	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage Slope	0.50 0.33
CaC: Chillum-----	60	Somewhat limited Restricted permeability Slope	0.68 0.01	Very limited Slope Seepage	1.00 0.50
CbB: Chillum-----	40	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage Slope	0.50 0.09
Urban Land-----	40	Not rated		Not rated	
CHA: Codus-----	40	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 0.46	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
Hatboro-----	30	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.46	Very limited Flooding Seepage Depth to saturated zone Slope	1.00 1.00 1.00 0.01
CkA: Colemantown-----	80	Very limited Restricted permeability Ponding Depth to saturated zone Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Flooding	1.00 0.40

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CmA: Colemantown-----	70	Very limited Restricted permeability Ponding Depth to saturated zone Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.40
CnB: Colemantown-----	40	Very limited Restricted permeability Ponding Depth to saturated zone Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Flooding Slope	1.00 0.40 0.09
Urban Land-----	30	Not rated		Not rated	
CoA: Collington-----	60	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
Wist-----	25	Somewhat limited Depth to saturated zone Restricted permeability	0.70 0.50	Very limited Seepage Depth to saturated zone	1.00 0.05
CoB: Collington-----	50	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.33
Wist-----	30	Somewhat limited Depth to saturated zone Restricted permeability	0.70 0.50	Very limited Seepage Slope Depth to saturated zone	1.00 0.09 0.05
CoC: Collington-----	40	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.01	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Wist-----	35	Somewhat limited Depth to saturated zone	0.70	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
		Slope	0.01	Depth to saturated zone	0.05
CpB: Urban Land-----	35	Not rated		Not rated	
Collington-----	25	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Restricted permeability	0.68	Slope	0.09
Wist-----	25	Somewhat limited Depth to saturated zone	0.70	Very limited Seepage	1.00
		Restricted permeability	0.50	Slope	0.09
				Depth to saturated zone	0.05
CpD: Urban Land-----	35	Not rated		Not rated	
Collington-----	25	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Restricted permeability	0.68	Seepage	1.00
		Slope	0.16		
Wist-----	25	Somewhat limited Depth to saturated zone	0.70	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
		Slope	0.16	Depth to saturated zone	0.05
CRD: Collington-----	40	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Restricted permeability	0.68	Seepage	1.00
		Slope	0.63		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Annapolis-----	25	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.50	Very limited Slope Seepage	1.00 1.00
CSE: Collington-----	40	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
Westphalia-----	25	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
Wist-----	25	Very limited Slope Depth to saturated zone Restricted permeability	1.00 0.70 0.50	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.05
CSF: Collington-----	40	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
Westphalia-----	25	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
Wist-----	25	Very limited Slope Depth to saturated zone Restricted permeability	1.00 0.70 0.50	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.05
CSG: Collington-----	40	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Westphalia-----	25	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
Wist-----	25	Very limited Slope Depth to saturated zone Restricted permeability	1.00 0.70 0.50	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.05
CTA: Comus-----	40	Very limited Flooding Restricted permeability	1.00 0.50	Very limited Flooding Seepage	1.00 1.00
Codorus-----	35	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
CxA: Cumberstone-----	45	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Mattapex-----	25	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
CxB: Cumberstone-----	40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.09
Mattapex-----	40	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.09

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CxC: Cumberstone-----	40	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.01	Very limited Depth to saturated zone Slope	1.00 1.00
Mattapex-----	35	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.68 0.01	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00
CyB: Cumberstone-----	30	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.09
Mattapex-----	30	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.09
Urban Land-----	25	Not rated		Not rated	
CyD: Cumberstone-----	30	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.16	Very limited Depth to saturated zone Slope	1.00 1.00
Mattapex-----	25	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.68 0.16	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00
Urban Land-----	20	Not rated		Not rated	
DcA: Deale-----	40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Shadyoak-----	20	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
DeA: Deale-----	35	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Urban Land-----	30	Not rated		Not rated	
Shadyoak-----	20	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
DfA: Dodon-----	75	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
DfB: Dodon-----	75	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.09
DfC: Dodon-----	75	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.68 0.01	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 1.00
DnA: Donlonton-----	65	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.32
DnB: Donlonton-----	65	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 0.33 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
DuB: Donlonton-----	40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.32 0.09
Urban Land-----	35	Not rated		Not rated	
DvB: Downer-----	40	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
Hammonton-----	20	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.33
DvC: Downer-----	50	Very limited Filtering capacity Slope	1.00 0.01	Very limited Seepage Slope	1.00 1.00
Hammonton-----	20	Very limited Depth to saturated zone Filtering capacity Slope	1.00 1.00 0.01	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 1.00
DvD: Downer-----	40	Very limited Filtering capacity Slope	1.00 0.84	Very limited Slope Seepage	1.00 1.00
Hammonton-----	15	Very limited Depth to saturated zone Filtering capacity Slope	1.00 1.00 0.84	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 1.00
DwB: Downer-----	25	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.09

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	25	Not rated		Not rated	
Hammonton-----	20	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
				Slope	0.09
DwD: Downer-----	30	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Slope	0.16	Slope	1.00
Urban Land-----	25	Not rated		Not rated	
Hammonton-----	20	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Slope	0.16	Slope	1.00
DxB: Downer-----	40	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.33
Phalanx-----	35	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.33
DxC: Downer-----	40	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Slope	0.01	Slope	1.00
Phalanx-----	35	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Slope	0.01	Slope	1.00
DxD: Downer-----	40	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.84	Seepage	1.00
Phalanx-----	35	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.84	Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EuB: Evesboro-----	25	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.33
Urban Land-----	25	Not rated		Not rated	
Galestown-----	20	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.33
EuD: Evesboro-----	30	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Slope	0.16	Slope	1.00
Urban Land-----	25	Not rated		Not rated	
Galestown-----	15	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Slope	0.16	Slope	1.00
EuE: Evesboro-----	30	Very limited Slope	1.00	Very limited Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Urban Land-----	25	Not rated		Not rated	
Galestown-----	15	Very limited Slope	1.00	Very limited Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
EVC: Evesboro-----	45	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Slope	0.01	Slope	1.00
Galestown-----	20	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Slope	0.01	Slope	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FaA: Fallsington-----	60	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
FrA: Fallsington-----	40	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	
GaB: Galestown-----	75	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
HmB: Annapolis-----	40	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 0.09
Howell-----	40	Somewhat limited Restricted permeability	0.72	Somewhat limited Seepage Slope	0.32 0.09
HmC: Howell-----	45	Somewhat limited Restricted permeability	0.72	Very limited Slope Seepage	1.00 0.32
Annapolis-----	40	Very limited Filtering capacity Restricted permeability Slope	1.00 0.50 0.01	Very limited Seepage Slope	1.00 1.00
HMD: Annapolis-----	40	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.50	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Howell-----	40	Somewhat limited Slope Restricted permeability	0.84 0.72	Very limited Slope Seepage	1.00 0.32
HME: Annapolis-----	40	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Slope Seepage	1.00 1.00
Howell-----	40	Very limited Slope Restricted permeability	1.00 0.72	Very limited Slope Seepage	1.00 0.32
HoA: Dodon-----	40	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Howell-----	40	Somewhat limited Restricted permeability	0.72	Somewhat limited Seepage	0.32
HoB: Dodon-----	40	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.09
Howell-----	40	Somewhat limited Restricted permeability	0.72	Somewhat limited Seepage Slope	0.32 0.09
HoC: Dodon-----	40	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.68 0.01	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 1.00
Howell-----	40	Somewhat limited Restricted permeability	0.72	Very limited Slope Seepage	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HOD: Dodon-----	40	Very limited Depth to saturated zone Slope	1.00 0.84	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 1.00
		Restricted permeability	0.68		
Howell-----	40	Somewhat limited Slope Restricted permeability	0.84 0.72	Very limited Slope Seepage	1.00 0.32
HOE: Dodon-----	40	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 1.00
		Restricted permeability	0.68		
Howell-----	40	Very limited Slope Restricted permeability	1.00 0.72	Very limited Slope Seepage	1.00 0.32
HOF: Dodon-----	40	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 1.00
		Restricted permeability	0.68		
Howell-----	40	Very limited Slope Restricted permeability	1.00 0.72	Very limited Slope Seepage	1.00 0.32
MaB: Dodon-----	40	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.09
Marr-----	40	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.09

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MaC: Dodon-----	35	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.68 0.01	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 1.00
Marr-----	35	Somewhat limited Restricted permeability Slope	0.50 0.01	Very limited Slope Seepage	1.00 0.50
MaD: Dodon-----	35	Very limited Depth to saturated zone Slope	1.00 0.84	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 1.00
Marr-----	35	Somewhat limited Slope Restricted permeability	0.84 0.50	Very limited Slope Seepage	1.00 0.50
MDE: Dodon-----	35	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 1.00
Marr-----	35	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
MDF: Marr-----	35	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
Dodon-----	30	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 1.00
		Restricted permeability	0.68		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MgB: Dodon-----	30	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.09
Marr-----	30	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.09
Urban Land-----	30	Not rated		Not rated	
MgD: Dodon-----	30	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.68 0.16	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 1.00
Marr-----	30	Somewhat limited Restricted permeability Slope	0.50 0.16	Very limited Slope Seepage	1.00 0.50
Urban Land-----	30	Not rated		Not rated	
MmA: Matapeake-----	60	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage	0.32
MmC: Matapeake-----	50	Somewhat limited Restricted permeability Slope	0.68 0.01	Very limited Slope Seepage	1.00 0.32
MpB: Matapeake-----	30	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage Slope	0.32 0.09
Urban Land-----	30	Not rated		Not rated	
MpD: Matapeake-----	30	Somewhat limited Restricted permeability Slope	0.68 0.16	Very limited Slope Seepage	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated	
MRD: Matapeake-----	40	Somewhat limited Slope Restricted permeability	0.84 0.68	Very limited Slope Seepage	1.00 1.00
Mattapex-----	30	Very limited Depth to saturated zone Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 1.00
MtA: Mattapex-----	60	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
MtB: Mattapex-----	60	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.09
MtC: Mattapex-----	60	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.68 0.01	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00
MxB: Mattapex-----	35	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.09
Butlertown-----	30	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.53 0.09

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MxC: Mattapex-----	45	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.68 0.01	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00
Butlertown-----	25	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.01	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
MyB: Mattapex-----	30	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.09
Urban Land-----	25	Not rated		Not rated	
Butlertown-----	20	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.53 0.09
MZA: Mispillion-----	40	Very limited Flooding Depth to saturated zone Restricted permeability Subsidence	1.00 1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage Content of organic matter	1.00 1.00 1.00 1.00
Transquaking-----	40	Very limited Flooding Restricted permeability Depth to saturated zone Subsidence Filtering capacity	1.00 1.00 1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage Content of organic matter	1.00 1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
NMA: Mannington-----	40	Very limited Flooding Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
Nanticoke-----	40	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00
PeB: Patapsco-----	30	Very limited Filtering capacity Depth to saturated zone	1.00 0.73	Very limited Seepage Slope Depth to saturated zone	1.00 0.09 0.06
Evesboro-----	20	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.09
Fort Mott-----	20	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
PfB: Fort Mott-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.09
Patapsco-----	30	Very limited Filtering capacity Depth to saturated zone	1.00 0.73	Very limited Seepage Slope Depth to saturated zone	1.00 0.09 0.06
PfC: Fort Mott-----	30	Very limited Filtering capacity Slope	1.00 0.01	Very limited Seepage Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Patapsco-----	30	Very limited Filtering capacity Depth to saturated zone Slope	1.00 0.73 0.01	Very limited Seepage Slope Depth to saturated zone	1.00 1.00 0.06
PfD: Fort Mott-----	30	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
Patapsco-----	30	Very limited Filtering capacity Depth to saturated zone Slope	1.00 0.73 0.63	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.06
PgB: Fort Mott-----	25	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.09
Patapsco-----	25	Very limited Filtering capacity Depth to saturated zone	1.00 0.73	Very limited Seepage Slope Depth to saturated zone	1.00 0.09 0.06
Urban Land-----	25	Not rated		Not rated	
PgD: Fort Mott-----	25	Very limited Filtering capacity Slope	1.00 0.16	Very limited Seepage Slope	1.00 1.00
Patapsco-----	25	Very limited Filtering capacity Depth to saturated zone Slope	1.00 0.73 0.16	Very limited Seepage Slope Depth to saturated zone	1.00 1.00 0.06
Urban Land-----	25	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PpA: Pepperbox-----	60	Very limited Restricted permeability	1.00	Not limited	
PrB: Pepperbox-----	30	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.09
Urban Land-----	30	Not rated		Not rated	
PT: Gravel And Borrow Pits-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Slope	1.00
		Slope	0.01	Depth to saturated zone	1.00
RfA: Russett-----	65	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00		
RfB: Russett-----	65	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Slope	0.09
RhB: Russett-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Slope	0.09
Alloway-----	25	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.09
Hambrook-----	20	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.50
		Depth to saturated zone	0.40	Slope	0.09

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RhC: Russett-----	30	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.01	Very limited Depth to saturated zone Slope	1.00 1.00
Alloway-----	25	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.01	Very limited Depth to saturated zone Slope	1.00 1.00
Hambrook-----	20	Very limited Restricted permeability Filtering capacity Depth to saturated zone Slope	1.00 1.00 0.40 0.01	Very limited Seepage Slope	1.00 1.00
RhD: Russett-----	30	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.84	Very limited Slope Depth to saturated zone	1.00 1.00
Alloway-----	25	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00
Hambrook-----	20	Very limited Restricted permeability Filtering capacity Slope Depth to saturated zone	1.00 1.00 0.63 0.40	Very limited Slope Seepage	1.00 1.00
RkB: Russett-----	30	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.09

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Alloway-----	25	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.09
Urban Land-----	25	Not rated		Not rated	
RyB: Russett-----	35	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.09
Urban Land-----	35	Not rated		Not rated	
SaB: Sassafras-----	60	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.33
SaD: Sassafras-----	60	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
SfB: Sassafras-----	55	Very limited Filtering capacity Restricted permeability	1.00 0.48	Very limited Seepage Slope	1.00 0.33
ShA: Hambrook-----	40	Very limited Restricted permeability Depth to saturated zone	1.00 0.40	Somewhat limited Seepage	0.50
Sassafras-----	40	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SME: Sassafras-----	30	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
Croom-----	25	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
SMF: Sassafras-----	30	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
Croom-----	25	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
SnB: Sassafras-----	35	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.09
Urban Land-----	35	Not rated		Not rated	
SnD: Sassafras-----	35	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.16	Very limited Slope Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	
SoA: Elkton-----	40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Shadyoak-----	40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
SpA: Shadyoak-----	45	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Elkton-----	40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
SrA: Elkton-----	30	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Shadyoak-----	30	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Urban Land-----	30	Not rated		Not rated	
SsA: Shrewsbury-----	60	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
TsB: Tinton-----	65	Not limited		Very limited Seepage Slope	1.00 0.09
TsC: Tinton-----	65	Somewhat limited Slope	0.01	Very limited Seepage Slope	1.00 1.00
TuB: Tinton-----	40	Not limited		Very limited Seepage Slope	1.00 0.09

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated	
TuC: Tinton-----	40	Somewhat limited Slope	0.01	Very limited Seepage Slope	1.00 1.00
Urban Land-----	30	Not rated		Not rated	
UfG: Udorthents-----	100	Not rated		Not rated	
UoB: Udorthents-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 0.43	Somewhat limited Slope	0.09
UoD: Udorthents-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 0.43 0.01	Very limited Slope	1.00
UoE: Udorthents-----	100	Very limited Restricted permeability Slope Depth to saturated zone	1.00 1.00 0.43	Very limited Slope	1.00
UpB: Udorthents-----	65	Not rated		Not rated	
UpC: Udorthents-----	65	Not rated		Not rated	
UxB: Udorthents-----	60	Not rated		Not rated	
UxD: Udorthents-----	60	Not rated		Not rated	
UxE: Udorthents-----	60	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Uz: Urban Land-----	100	Not rated		Not rated	
W: Water-----	100	Not rated		Not rated	
WBA: Widewater-----	40	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 1.00 1.00 0.01
Issue-----	30	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
WdA: Woodstown-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
WdB: Woodstown-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.46	Very limited Seepage Depth to saturated zone Slope	1.00 1.00 0.09
WrB: Urban Land-----	40	Not rated		Not rated	
Woodstown-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.09
ZBA: Zekiah-----	40	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Issue-----	30	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50

